

## A Brief Manual for LINMOD Version 3.4

David H. Christiansen, James D. Hosking, Ronald W. Helms,  
Keith E. Muller, and Kevin B. Hunter

LINMOD (LINear MODels) performs a wide variety of General Linear Multivariate Model (GLMM) computations in SAS/IML. The software is especially useful for repeated measures, complex designs, and teaching. The source code (IML with a tiny amount of macro language), installation instructions, an extensive manual, and sample programs are available at <http://ehpr.ufl.edu/muller>. No warranty is provided or implied. An example follows.

```
TITLE1 "EXAMPLE0SAS, use LINMOD";
%LET LMDIRECT = ..\SOURCE\ ;
%INCLUDE "&LMDIRECT.MACROLIB.SAS" / NOSOURCE2 ;
&PROCSSCP DATA=PAYNE ;
VAR CONTROL LOW MODERATE HIGH INIT SCORE2 SCORE4 SCORE6 SCORE8 SCORE10;
PROC IML WORKSIZE=1000 SYMSIZE=1000; *4.1 Start IML;
&LINMOD ; *4.2 Grab code;
RUN GETCORSS; * 5. Retrieve the file _CORRDS_ created in Step 3 ;
* 6. Define the model and estimate primary parameters;
INDVARS = { CONTROL LOW MODERATE HIGH INIT };
DEPVAR=NAMELIST("SCORE",2,10,2);
RUN FITMODEL;
* 7.1 Conduct a test (and estimation) step;
PRINT " * MANOVA Test of Main Effect of Treatment, * " ;
C = { 1 -1 0 0 0 ,
      1 0 -1 0 0 ,
      1 0 0 -1 0 } ;
THETARNM= { "C - LOW" "C - MOD" "C - HIGH" };
*U defaults to Identity matrix, if NROW(U)=0;
RUN TESTGLH;
```

### LINMOD Options and Default Values

SETOPT/General	MAKESS	GETCORSS	FITMODEL	TESTGLH
AVAILOPT	CHKMISS (ON)	CPARMS	PARMIN	C (ON)
LISTINFO	MPARMS	CSS	SSIN	U (ON)
CURROPTS	MSS		BETA (ON)	THETA0 (ON)
NEWOPTS			XPXINV	THETA (ON)
COMPRESS (ON)			UNIBETA	MID
NOPRINT			CHECK	EXTHETA (ON)
			EXBETA (ON)	MATTHETA
			COVBETA	UNITHETA (ON)
			SIGMA (ON)	MSH
			SCORR (ON)	MSE
			SSSTEP	ECORR (ON)
			SSFIT	HEIVAL
			LTFR	CANVEC
			LINDEP (ON)	CANRSQ (ON)
			PARMOUT (ON)	MULTTEST (ON)
				RSQUARED (ON)
				UNIREP (ON)
				UNIRPRNT (ON)
				UNIRWARN
				UNIRFORC
				UNIBOTH (ON)
				UNIRANK

(ON) indicates the default ON. The absence of (ON) indicates a default OFF.

```

TITLE1 "EXAMPLE1.SAS--Demonstrate simple LINMOD use";
* 0. Define raw data file;
FILENAME IN01 "..\EXAMPLES\PAYNE.DAT";
DATA PAYNE;      INFILE IN01;
* 1. Define directory in which LINMOD source code stored;

  * Change highlighted text in next line for your computer;
%LET LMDIRECT = ..\SOURCE\ ;
* 2. Define SAS macro code needed;
%INCLUDE "&LMDIRECT.MACROLIB.SAS" / NOSOURCE2 ;
* 3. Reduce raw data to a TYPE=CORR file named _CORRDS_ ;
&PROCSSCP DATA=PAYNE ;
VAR CONTROL LOW MODERATE HIGH INIT
    SCORE2 SCORE4 SCORE6 SCORE8 SCORE10;
PROC IML WORKSIZE=1000 SYMSIZE=1000; *4.1 Start IML;
&LINMOD ;                          *4.2 Grab code;
* 5. Retrieve the file _CORRDS_ created in Step 3 ;
RUN GETCORSS;
* 6. Define the model and estimate primary parameters;
INDVARS = { CONTROL LOW MODERATE HIGH INIT };
DEPVAR=NAMELIST("SCORE",2,10,2);
RUN FITMODEL;
* 7.1 Conduct a test (and estimation) step;
PRINT    "** MANOVA Test of Main Effect of Treatment,  *"
        , "** comparing each treatment to control group *" ;
C = { 1 -1  0  0  0 ,
      1  0 -1  0  0 ,
      1  0  0 -1  0 } ;
THETARNM= { "C - LOW"  "C - MOD"  "C - HIGH" };
*U defaults to Identity matrix, if NROW(U)=0;
RUN TESTGLH;

```

```

TITLE1 "EXAMPLE2.SAS--Demonstrate LINMOD using MAKESS";
FILENAME IN01 "..\EXAMPLES\PAYNE.DAT";
DATA PAYNE;
    INFILE IN01;
%LET LMDIRECT = ..\SOURCE\ ;
%INCLUDE "&LMDIRECT.MACROLIB.SAS" / NOSOURCE2 ;
PROC IML WORKSIZE=1000 SYMSIZE=1000;
&LINMOD ;
OPT_OFF = { MSH };    OPT_ON  = { LISTINFO AVAILOPT };
RUN SETOPT;
*Read raw data into IML;
USE PAYNE;
READ ALL VAR{GROUP} INTO GROUP;
READ ALL VAR{INIT}  INTO INIT;
READ ALL VAR{SCORE2 SCORE4 SCORE6 SCORE8 SCORE10} INTO Y;
CLOSE PAYNE;
*Use functions to create indicators for design matrix;
N=NROW(Y); * # observations in sample;
CONSTANT=J(N,1,1); *Column of 1's for intercept, etc;
CELLMEAN=DESIGN(GROUP);          *Cell mean coding;
EFFECT  =CONSTANT||DESIGNF(GROUP); *Effect coding;
REFERENC=CONSTANT||CELLMEAN(|*,2:NCOL(CELLMEAN)|); *Reference cell coding;
*Assemble all predictors and responses into one matrix, Z;
Z = CELLMEAN || INIT || Y;
ZNAMES = { CONTROL LOW MODERATE HIGH INIT }
          || { SCORE2 SCORE4 SCORE6 SCORE8 SCORE10 } ; * ZNAMES must also exist;
RUN MAKESS; *Create SSCP matrix and associated parameters;
*Fit a model;
INDVARS = { CONTROL LOW MODERATE HIGH INIT };
DEPVARs = { SCORE2 SCORE4 SCORE6 SCORE8 SCORE10 };
RUN FITMODEL;
*Conduct any test or estimation desired;
*C= ---- ; *U= ---- ; *RUN TESTGLH;

```

**Matrices Available from FITMODEL**

MATRIX	OPTION	ROWNAME	COLNAME
_BETA_	BETA, EXBETA	_XNAME_	_XNAME_
_BPVAL_	EXBETA	_XNAME_	_YNAME_
_BSE_	EXBETA	_XNAME_	_YNAME_
_BT_	EXBETA	_XNAME_	_YNAME_
_LINDEP_	LINDEP	_XNAME_	_VNAME_
_PARM1_	UNIBETA	----	_PM1CNM_
_SCORR_	SCORR	_YNAME_	_YNAME_
_SIGMA_	SIGMA	_YNAME_	_YNAME_
_SS_	SSFIT	_VNAME_	_VNAME_
_STAT_	UNIBETA	_YNAME_	_STRNM_
_XPXINV_	XPXINV	_XNAME_	_XNAME_

---

**Matrices Available from TESTGLH**

Matrix	Option	Rowname	Colname	Section
_THETA_	THETA	_THRNM_	_THCNM_	7.2.2, 7.5.4
_MID_	MID	_THRNM_	_THRNM_	7.2.2, 7.5.5
_SDTHTA_	MATTHETA	_THRNM_	_THCNM_	7.5.7
_TTHTA_	MATTHETA	_THRNM_	_THCNM_	7.5.7
_PVTHTA_	MATTHETA	_THRNM_	_THCNM_	7.5.7
_MSH_	MSH	_THCNM_	_THCNM_	7.2.2, 7.5.9
_MSE_	MSE	_THCNM_	_THCNM_	7.2.2, 7.5.10
_ECORR_	ECORR	_THCNM_	_THCNM_	7.5.11
_HEIVAL_	HEIVAL	_CANNM_	_NONM_	7.5.12
_CANVEC_	CANVEC	_THCNM_	_CANNM_	7.5.13
_CANRSQ_	CANRSQ	_CANNM_	_NONM_	7.5.14
_FSTATS_	UNITHETA	_THCNM_	_FSTRNM_	7.5.6, 7.5.17
_STMAT1_	MULTTEST	_STMRNM_	_STMCNM_	7.5.16, 7.5.17
_TPARM1_	MULTTEST	_NONM_	_TPCNM1_	7.5.16
_URESUL_	UNIREP	_UCOLNM_	_UROWNM_	7.5.18-7.5.21

---

Note that if THETARNM exists then \_THTRNM\_=THETARNM.

Also, if THETACNM exists then \_THTCNM\_=THETACNM.

**NAMELIST Function**

Usage: yourlist = NAMELIST(STEM,LOW,HIGH,BY);

This function generates a row of names, STEMlow to STEMhigh, by..., a character matrix. STEM is a character string (1x1). Require  $0 \leq \text{LOW} \leq \text{HIGH}$ , and  $1 \leq \text{BY}$ , integers (1x1). See the MAKESS example in section 4.9 of the full LINMOD manual for an example use. Example 1 in Section 1.5 of the full LINMOD manual includes the following code: DEPVAR=NAMELIST("SCORE",2,10,2);

**UMEAN Function**

Usage: UAVE = UMEAN(P); This function returns J(P,1,1/P), which provides a column (vector) to use as an averaging U matrix.

**UPOLY1 Module**

This module produces a U matrix and associated names for a test of trends.

Usage: RUN UPOLY1(VALUES, NAME, U, NMOUT );

Inputs. VALUES, numeric treatment levels (values), a matrix with one row or column.

NAME, a character string providing stem of names for trends.

Outputs. U, a matrix with columns orthonormal polynomial coefficients (excludes zero order).

NMOUT, a character matrix with one row of names.

**UPOLY2 Module**

This module produces U matrices and associated names for tests of trend and interaction for a design with two within-subject factors.

Assume Factor 1, with levels VALUES1, varies slowly,

and that Factor 2, with levels VALUES2, varies rapidly.

Usage:

```
RUN UPOLY2(VALUES1,NAME1, VALUES2,NAME2,
           U1, NMOUT1,U2, NMOUT2, U12 ,NMOUT12);
```

Inputs VALUES1=1st set of numeric treatment levels/values  
NAME1 = 1st character string providing stem of names;  
VALUES2=2nd set of numeric treatment levels/values  
NAME2 = 2nd character string providing stem of names;

Outputs U1 =orthonormal polynomial coefficient columns  
for 1st factor (excludes zero order)  
NMOUT1 =1 row matrix of 1st factor names (character);  
U2 =orthonormal polynomial coefficient columns  
for 2nd factor (excludes zero order)  
NMOUT2 =1 row matrix of 2nd factor names (character);  
U12 =orthonormal polynomial coefficient columns  
for interaction (excludes zero order)  
NMOUT12=1 row matrix of interaction names (character);

**UTREND Function**

Create polynomial trends matrix (columnwise), excluding the zero order.

Usage: UPOLY = UTREND(VALUES);